according to Regulation (EC) No 1907/2006

# FlairesseProphylaxisVarnish

Print date: 20.04.2016 Product code: 6155 Page 1 of 5

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

FlairesseProphylaxisVarnish

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

### 1.3. Details of the supplier of the safety data sheet

Company name: DMG Chemisch-Pharmazeutische Fabrik GmbH

Street: Elbgaustraße 248
Place: D-22547 Hamburg

Telephone: +49. (0) 40. 84006-0 Telefax: +49. (0) 40. 84006-222

e-mail: info@dmg-dental.com
Internet: www.dmg-dental.com

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

### Classification according to Directive 67/548/EEC or 1999/45/EC

This mixture is not classified as hazardous according to Directive 1999/45/EC.

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazard categories:

Flammable liquid: Flam. Liq. 2 Acute toxicity: Acute Tox. 3 Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Irrit. 2

Hazard Statements:

Highly flammable liquid and vapour.

Toxic if swallowed.

Causes serious eye irritation.

Causes skin irritation.

### 2.2. Label elements

Signal word: Warning
Pictograms: GHS02-GHS07





## **Hazard statements**

H225 Highly flammable liquid and vapour.

H301 Toxic if swallowed.

H319 Causes serious eye irritation.
H315 Causes skin irritation.

# **Precautionary statements**

P309+P311 IF exposed or if you feel unwell: Call a POISON CENTER or doctor/physician.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P210 Keep away from heat. No Smoking.

# Special labelling of certain mixtures

EUH031 Contact with acids liberates toxic gas.

according to Regulation (EC) No 1907/2006

# FlairesseProphylaxisVarnish

Print date: 20.04.2016 Product code: 6155 Page 2 of 5

## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

### Hazardous components

EC No	Chemical name	Quantity
CAS No	Classification according to Directive 67/548/EEC	
Index No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
REACH No		
200-578-6	ethanol, ethyl alcohol	25 - 30 %
64-17-5	F - Highly flammable R11	
603-002-00-5	Flam. Liq. 2; H225	
231-667-8	sodium fluoride	<= 5 %
7681-49-4	T - Toxic, Xi - Irritant R25-36/38-32	
009-004-00-7	Acute Tox. 3, Eye Irrit. 2, Skin Irrit. 2; H301 H319 H315 EUH032	

Full text of R-, H- and EUH-phrases: see section 16.

## **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

After inhalation

not applicable

After contact with skin

Wash with generous amount of water. (+ Soap.)

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

After ingestion

Immediately get medical attention.

# **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

Suitable extinguishing media

Water fog. Extinguishing powder. Sand. Foam. Carbon dioxide (CO2).

Unsuitable extinguishing media

High power water jet.

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

Wear suitable protective clothing.

# 6.2. Environmental precautions

Do not empty into drains or the aquatic environment.

## 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

according to Regulation (EC) No 1907/2006

# FlairesseProphylaxisVarnish

Print date: 20.04.2016 Product code: 6155 Page 3 of 5

## Advice on safe handling

Keep container tightly closed. Wear suitable protective clothing and gloves. Avoid contact with eyes.

#### Further information on handling

Ensure adequate ventilation of the storage area.

### 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

Store only in original container.

## Advice on storage compatibility

Do not store together with: acid. Alkalis (alkalis).

## **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

#### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
64-17-5	Ethanol	1000	1920		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL
16984-48-8	Fluoride (inorganic as F)	-	2.5		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL

# 8.2. Exposure controls



## Protective and hygiene measures

When using do not eat or drink.

# Eye/face protection

Tightly sealed safety glasses.

#### Hand protection

Wear suitable gloves.: NBR (Nitrile rubber). Butyl rubber.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state: Jelly
Colour: diverse
Odour: diverse

**Test method** 

pH-Value: 5.5 - 8

Changes in the physical state

Water solubility: partially soluble
Vapour density: < 1

## **SECTION 10: Stability and reactivity**

according to Regulation (EC) No 1907/2006

# FlairesseProphylaxisVarnish

Print date: 20.04.2016 Product code: 6155 Page 4 of 5

## 10.5. Incompatible materials

acid. Alkalis (alkalis).

## 10.6. Hazardous decomposition products

Fluorhydric acid. , COx

# **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

## Acute toxicity

sodium fluoride

ORL MUS LD50 57 mg/kg ORL RAT LD50 52 mg/kg SCU RAT LD50 175 mg/kg

Phosphoric acid ... %; orthophosphoric acid

ORL RAT LD50 1530 mg/kg

CAS No	Chemical name					
	Exposure routes	Method	Dose	Species	Source	
64-17-5	ethanol, ethyl alcohol					
	oral	LD50	6200 mg/kg	Rat	IUCLID	
	inhalative (4 h) vapour	LC50	95,6 mg/l	Rat	RTECS	
7681-49-4	sodium fluoride					
	oral	LD50	52 mg/kg	Rat	RTECS	

# Irritation and corrosivity

Irritant effect on the eye: Causes burns. After skin contact: Causes burns.

After ingestion: Causes burns. Nature of Hazard: Stomach perforation.

# **SECTION 12: Ecological information**

# 12.1. Toxicity

. I. IOXICILY						
CAS No	Chemical name					
	Aquatic toxicity	Method	Dose	[h]   [d]	Species	Source
64-17-5	ethanol, ethyl alcohol					
	Acute crustacea toxicity	EC50 mg/l	9268 - 14221	48 h	Daphnia magna	IUCLID
7681-49-4	9-4 sodium fluoride					
	Acute fish toxicity	LC50	925 mg/l	96 h	Gambusia affinis	
	Acute algae toxicity	ErC50	850 mg/l	72 h	Desmodesmus subspicatus	
	Acute crustacea toxicity	EC50	338 mg/l	48 h	Daphnia magna	IUCLID

# 12.3. Bioaccumulative potential

## Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64-17-5	ethanol, ethyl alcohol	-0,31

## **Further information**

Do not empty into drains or the aquatic environment. Leakage into the environment must be prevented.

according to Regulation (EC) No 1907/2006

# FlairesseProphylaxisVarnish

Print date: 20.04.2016 Product code: 6155 Page 5 of 5

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

## Advice on disposal

Remove according to the regulations.

### Waste disposal number of waste from residues/unused products

180106 W

WASTES FROM HUMAN OR ANIMAL HEALTH CARE AND/OR RELATED RESEARCH (except kitchen and restaurant wastes not arising from immediate health care); wastes from natal care, diagnosis, treatment or prevention of disease in humans; chemicals consisting of or containing dangerous substances

Classified as hazardous waste.

# **SECTION 14: Transport information**

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

### **SECTION 16: Other information**

### Relevant R-phrases (Number and full text)

11	Highly flammable.
25	Toxic if swallowed.

32 Contact with acids liberates very toxic gas.

36/38 Irritating to eyes and skin.

## Relevant H- and EUH-phrases (Number and full text)

H225	Highly flammable	liquid and vapour.
------	------------------	--------------------

H301 Toxic if swallowed.H315 Causes skin irritation.

H319 Causes serious eye irritation.

FUH031 Contact with acids liberates toxic das

EUH031 Contact with acids liberates toxic gas.
EUH032 Contact with acids liberates very toxic gas.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)