according to Regulation (EC) No 1907/2006

VitiqueSilaneA

Print date: 20.04.2016 Product code: 6125 Page 1 of 6

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

VitiqueSilaneA

 Product group:
 Endprodukt

 CAS No:
 64-17-5

 Index No:
 603-002-00-5

 EC No:
 200-578-6

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Company name: DMG Chemisch-Pharmazeutische Fabrik GmbH

Street: Elbgaustraße 248
Place: D-22547 Hamburg
Telephone: +49. (0) 40. 84006-0

phone: +49. (0) 40. 84006-0 Telefax: +49. (0) 40. 84006-222

e-mail: info@dmg-dental.com Internet: www.dmg-dental.com

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Directive 67/548/EEC or 1999/45/EC

This mixture is not classified as hazardous according to Directive 1999/45/EC.

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazard categories:

Flammable liquid: Flam. Liq. 2 Skin corrosion/irritation: Skin Corr. 1B

Hazard Statements:

Highly flammable liquid and vapour.

Causes skin irritation.

2.2. Label elements

Signal word: Danger Pictograms: GHS02



Hazard statements

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Ethanol.

according to Regulation (EC) No 1907/2006

VitiqueSilaneAPrint date: 20.04.2016Product code: 6125Page 2 of 6

Hazardous components

EC No	Chemical name		Quantity
CAS No	Classification according to Directive 67/548/EEC		
Index No	Classification according to Regulation (EC) No. 1272/2008 [CLP]		
REACH No			
200-578-6	ethanol, ethyl alcohol	6:	5 - 75 %
64-17-5	F - Highly flammable R11		
603-002-00-5	Flam. Liq. 2; H225		
231-633-2	Phosphoric acid %; orthophosphoric acid		< 5 %
7664-38-2	C - Corrosive R34		
015-011-00-6	Skin Corr. 1B; H314		

Full text of R-, H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Move victim to fresh air. Put victim at rest and keep warm.

After contact with skin

After contact with skin, wash immediately with: Water and soap. Change contaminated clothing.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

After ingestion

If swallowed, immediately drink: Water. Consult physician.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Atomized water. alcohol resistant foam. Carbon dioxide (CO2). Extinguishing powder. Sand.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Concentrated vapors are heavier than air. Vapours may form explosive mixtures with air.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Keep away from sources of ignition - No smoking.

The following must be prevented: inhalation. skin contact. Eye contact.

6.2. Environmental precautions

Do not empty into drains or the aquatic environment.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

SECTION 7: Handling and storage

7.1. Precautions for safe handling

according to Regulation (EC) No 1907/2006

VitiqueSilaneA

Print date: 20.04.2016 Product code: 6125 Page 3 of 6

Advice on safe handling

Keep away from sources of ignition - No smoking. Provide adequate ventilation.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep in a cool place.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
64-17-5	Ethanol	1000	1920		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL
7664-38-2	Orthophosphoric acid	-	1		TWA (8 h)	WEL
		-	2		STEL (15 min)	WEL

8.2. Exposure controls









Protective and hygiene measures

When using do not eat or drink.

Eye/face protection

Tightly sealed safety glasses.

Hand protection

Tested protective gloves are to be worn: Suitable material: NBR (Nitrile rubber).

Respiratory protection

The following must be prevented: inhalation. Exceeding critical value: Filter respirator (full mask or mouth-piece) with filter: A

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid

Colour: colourless-transparent

Odour: characteristic

Test method

pH-Value: ca. 5

Changes in the physical state

Initial boiling point and boiling range:

Ca. 80 °C

Flash point:

12 °C

Water solubility:

complete miscible

SECTION 10: Stability and reactivity

10.4. Conditions to avoid

heat.

according to Regulation (EC) No 1907/2006

VitiqueSilaneA

Print date: 20.04.2016 Product code: 6125 Page 4 of 6

10.5. Incompatible materials

Oxidizing agents. Alkali metals.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

CAS No	Chemical name						
	Exposure routes	Method	Dose	Species	Source		
64-17-5	ethanol, ethyl alcohol						
	oral	LD50	6200 mg/kg	Rat	IUCLID		
	inhalative (4 h) vapour	LC50	95,6 mg/l	Rat	RTECS		

Irritation and corrosivity

In case of prolonged or frequently repeated skin contact: irritant.; Following eye contact: irritant.

SECTION 12: Ecological information

12.1. Toxicity

Acute fish toxicity (Leuciscus idus): LC50: > 8140 mg / I / 48 h (Ethanol); Acute Daphnia toxicity (Daphnia magna): EC50: 9268 - 14221 mg / I / 48 h

CAS No	Chemical name						
	Aquatic toxicity	Method	Dose	[h] [d]	Species	Source	
64-17-5	ethanol, ethyl alcohol						
	Acute crustacea toxicity	EC50 mg/l	9268 - 14221	48 h	Daphnia magna	IUCLID	
7664-38-2	Phosphoric acid %; orthophosphoric acid						
	Acute fish toxicity	LC50	138 mg/l	96 h	Gambusia affinis		

12.2. Persistence and degradability

Easily biodegradable (concerning to the criteria of the OECD)

12.3. Bioaccumulative potential

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64-17-5	ethanol, ethyl alcohol	-0,31

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Remove according to the regulations.

Waste disposal number of waste from residues/unused products

180106

WASTES FROM HUMAN OR ANIMAL HEALTH CARE AND/OR RELATED RESEARCH (except kitchen and restaurant wastes not arising from immediate health care); wastes from natal care, diagnosis, treatment or prevention of disease in humans; chemicals consisting of or containing dangerous substances

Classified as hazardous waste.

SECTION 14: Transport information

according to Regulation (EC) No 1907/2006

VitiqueSilaneA Product code: 6125 Page 5 of 6

Land transport (ADR/RID)

Print date: 20.04.2016

UN 1170 14.1. UN number:

ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) 14.2. UN proper shipping name:

14.3. Transport hazard class(es): Ш 14.4. Packing group: Hazard label: 3



F1 Classification code: Special Provisions: 144 601 Limited quantity: 1 I Transport category: 2 Hazard No: 33 Tunnel restriction code: D/E

Other applicable information (land transport)

Marine transport (IMDG)

UN 1170 14.1. UN number:

14.2. UN proper shipping name: ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

14.3. Transport hazard class(es): 3 14.4. Packing group: Ш

Hazard label:



Special Provisions: 144 Limited quantity: 3 L EmS: F-E, S-D

Other applicable information (marine transport)

E2

Air transport (ICAO)

UN 1170 14.1. UN number:

ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) 14.2. UN proper shipping name:

14.3. Transport hazard class(es): 14.4. Packing group: Ш Hazard label: 3



Special Provisions: Limited quantity Passenger:

IATA-packing instructions - Passenger: 353 IATA-max. quantity - Passenger: 5 L IATA-packing instructions - Cargo: 364 IATA-max. quantity - Cargo: 60 L

according to Regulation (EC) No 1907/2006

VitiqueSilaneA

Print date: 20.04.2016 Product code: 6125 Page 6 of 6

Other applicable information (air transport)

E2 : Y341

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

SECTION 16: Other information

Relevant R-phrases (Number and full text)

Highly flammable.Causes burns.

Relevant H- and EUH-phrases (Number and full text)

H225 Highly flammable liquid and vapour.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)